













































# CATALOGO DE PRODUCTOS















# JVG LIGHT SOLUTION













P/N	Real Picture	Section Size	Product Description
JVGALP001-R			super slim 8mm recessed aluminum LED profile with flange, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP002-R			super slim 8mm recessed aluminum LED profile, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP002-RL			recessed aluminum LED profile with lens:60degrees, Option1: PMMA clear diffuser
JVGALP003-R			15mm recessed aluminum LED profile with flange, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP004-R			15mm recessed aluminum LED profile without flange, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP004-RL			recessed aluminum LED profile with lens:30degrees, Option1: PMMA clear diffuser
JVGALP005			squar aluminum LED profile, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser

JVGALP006			aluminum corner LED profile, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser
JVGALP007-R			aluminum corner LED profile, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser,3),PMMA clear diffuser
JVGALP008			round aluminum LED profile, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser,
JVGALP008			round aluminum LED profile, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser,
JVGALP009			flat aluminum LED profile for floor. Option: 1),PMMA opal matte diffuser,
JVGALP010			aluminum LED profile for ceiling, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP011			aluminum LED profile for ceiling, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP012			aluminum LED profile for ceiling, Option: 1),PMMA clear lenses diffuser,













JVGALP013			10mm deep aluminum LED profile with flange, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP014			10mm deep aluminum LED profile without flange, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP015-R			big size Aluminum LED profile for corner, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser <b>30X30mm</b>
JVGALP016-R			big size Aluminum LED profile for corner, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser <b>30X30mm</b>
JVGALP017-R			High power recessed aluminum LED profile for ceiling and wall, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser <b>35X35mm</b>
JVGALP018			High power recessed aluminum LED profile for ceiling or pendent light, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser <b>35X35mm</b>
JVGALP018-R			High power recessed aluminum LED profile for ceiling or pendent light, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser <b>35X35mm</b>

JVGALP019			High power aluminum LED profile for the wall, upside or down direction , Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser <b>35X43mm</b>
JVGALP020			High power aluminum LED profile for ceiling or pendent light, Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser <b>35X42mm</b>
JVGALP021			Flat Aluminum led profile for cabinet decoration:1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP022			Aluminum led profile for stairs lighting:1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP023			Aluminum led profile for recessed wall or ceiling mouting decoration:1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP024			Aluminum led profile for stairs lighting:1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP025			Waterproof led profile:IP68, Opal Matte PMMA+Lightdense PMMA, Rigid LED light bar applied inside,suitable for furniture or cabinet lighting or bath room

JVGALP026			Waterproof led profile:IP68, Opal Matte PMMA+Lightdense PMMA, Rigid LED light bar applied inside,suitable for furniture or cabinet lighting or bath room
JVGALP027			aluminum LED profile for ceiling or pendent light Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser, <b>Spot free effort if you choose opal matte diffuser</b>
JVGALP028			aluminum LED profile for ceiling or pendent light Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser, <b>Spot free effort if you choose opal matte diffuser</b>
JVGALP029			aluminum LED profile for ceiling or pendent light Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser, <b>Spot free effort if you choose opal matte diffuser</b>
JVGALP031			recessed aluminum LED profile for ceiling or wall Option 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser, 4),PC diffused cover
JVGALP032			Aluminum LED profile Option: 1),PMMA opal matte diffuser, 2),PMMA semi clear diffuser, 3), PMMA clear diffuser, 4), PC diffused cover Surface Mounting or Suspended mounting Rigid LED Module or 5050 led
JVGALP033			Waterproof led profile for floor, strong PC diffused cover,3mm thickness













JVGALP034			Waterproof led profile for floor, strong PC diffused cover, 3mm thickness, without color dot, endless
JVGALP035			super slim 13mm recessed aluminum LED profile, Option: 1), PMMA diffused cover, color dot free, liner lighting effort
JVGALP036			Slim aluminum LED profile for shelf light, without any cover, for inserting 8mm tempered glass
JVGALP038			surface mounted aluminum LED profile for glass shelf light, without any pmma cover, 8mm tempered glass
JVGALP039			Aluminum LED profile with round cover, Option: 1), PMMA opal matte diffuser, 2), PMMA semi clear diffuser, Surface Mounting Rigid LED Module or 5050 led strip or 2835 led strip
JVGALP039-30			Aluminum LED profile with 30 degrees lens, Option: 1), PMMA clear lens, 2), PMMA semi clear lens, Surface Mounting Rigid LED Module or 5050 led strip or 2835 led strip



























JVGALP039-60			Aluminum LED profile with 60 degrees lens, Option: 1),PMMA clear lens, 2),PMMA semi clear lens, Surface Mounting Rigid LED Module or 5050 led strip or 2835 led strip
JVGALP039-90			Aluminum LED profile with 90 degrees lens, Option: 1),PMMA clear lens, 2),PMMA semi clear lens, Surface Mounting Rigid LED Module or 5050 led strip or 2835 led strip
JVGALP040			Aluminum LED profile with round cover, Option: 1),PMMA opal matte diffuser, 2),PMMA semi clear diffuser, Surface Mounting Rigid LED Module or 5630 led strip or 2835 led strip
JVGALP040-30			Aluminum LED profile with 30 degrees lens, Option: 1),PMMA clear lens, 2),PMMA semi clear lens, Surface Mounting Rigid LED Module or 5630 led strip or 2835 led strip
JVGALP040-60			Aluminum LED profile with 60 degrees lens, Option: 1),PMMA clear lens, 2),PMMA semi clear lens, Surface Mounting Rigid LED Module or 5630 led strip or 2835 led strip
JVGALP040-90			Aluminum LED profile with 90 degrees lens, Option: 1),PMMA clear lens, 2),PMMA semi clear lens, Surface Mounting Rigid LED Module or 5630 led strip or 2835 led strip













JVGALP041			aluminum LED profile used between ceiling and the wall, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP043			15mm high aluminum LED profile with heat sink, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP044			15mm high aluminum LED profile with heat sink, Option: 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser
JVGALP044-PC			aluminum LED profile for , Option: 1),PC diffused milky cover 2),PC clear cover
JVGALP045			Recessed Aluminum LED profile with flange, Option: 1),PC opal matte diffuser, 2),PC semi-clear diffuser, 3),PC clear diffuser Installation:Recessed LED Strip:5630 led strip or 5050 multi row led strip
JVGALP045			Recessed Aluminum LED profile with flange, Option: 1),PC opal matte diffuser, 2),PC semi-clear diffuser, 3),PC clear diffuser Installation:Recessed LED Strip:5630 led strip or 5050 multi row led strip



JVGALP047			recessed aluminum LED profile with flange, Option: 1),PC opal matte diffuser, 2),PC semi-clear diffuser, 3),PC clear diffuser Installation:Recessed LED Strip:5630 led strip or 5050 multi row led strip
JVGALP048			Aluminum LED profile without flange,as pendant light. Option: 1),PC opal matte diffuser, 2),PC semi-clear diffuser, 3),PC clear diffuser Installation:Suspended or Surface Mounted LED Strip:5630 led strip or 5050 multi row led strip
JVGALP049			Aluminum LED profile for wall light,with internal driver, Light from Up and down direction at the same time, Option: 1),PC opal matte diffuser, 2),PC semi-clear matte diffuser, 3),PC clear diffuser Installation: Wall Mounted LED Strip:5630 led strip or 5050 multi row led strip
JVGALP049-R			Aluminum LED profile for wall light,with internal driver, Light from Up and down direction at the same time, Option: 1),PC opal matte diffuser, 2),PC semi-clear matte diffuser Installation: Wall Mounted by clip LED Strip:5630 led strip or 5050 multi row led strip
JVGALP050			Aluminum LED profile for wall light,without internal driver, Light from Up and down direction , Option: 1),PC opal matte diffuser, 2),PC semi-clear matte diffuser, 3),PC clear diffuser Installation: Wall Mounted LED Strip:3528 led strip or 5050 single row led strip
JVGALP051			Aluminum LED profile for pendant light,with Internal driver, Option: 1),PC opal matte diffuser, 2),PC semi-clear matte diffuser,3) PMMA opal matte,4),PMMA semi-clear,5),PMMA clear cover Installation: Suspended LED Strip:5630 led strip or 5050 multi row led strip

<p>JVGALP052</p>			<p>Aluminum LED profile for pendant light,with Internal driver, Option: 1),PC opal matte diffuser, 2),PC semi-clear matte diffuser3) PMMA opal matte Installation: Suspended LED Strip:5630 led strip or 5050 multi row led strip</p>
<p>JVGALP053</p>			<p>Aluminum LED profile for pendant light,without internal driver, Option: 1),PC opal matte diffuser, 2),PC semi-clear matte diffuser Installation: Suspended or surface Mounted LED Strip:5630 led strip or 5050 multi row led strip</p>
<p>JVGALP054</p>			<p>Aluminum LED profile for pendant light,without internal driver, Option: 1),PC opal matte diffuser, 2),PC semi-clear matte diffuser Installation: Suspended or surface Mounted LED Strip:5630 led strip or 5050 multi row led strip</p>
<p>JVGALP055</p>			<p>Recessed Aluminum LED profile with flange, Option: 1),Fine Frosted PC diffuser Installation:Recessed Rigid LED Module or 5630 flexible led strip or 5050 multi row led strip</p>
<p>JVGALP056</p>			<p>Aluminum LED profile without flange,as pendant light. Option: 1), 1),Fine Frosted PC diffuser Installation:Suspended or Surface Mounted Rigid LED Module or 5630 flexible led strip or 5050 multi row led strip</p>
<p>JVGALP056-D</p>			<p>Aluminum LED profile without flange,with dropped lens 20mm long, as pendant light. Option: 1), Fine Frosted PC diffuser Installation:Suspended or Surface Mounted Rigid LED Module or 5630 flexible led strip or 5050 multi row led strip be applied</p>

JV GALP058			<p>Aluminum LED profile without flange, as pendant light  Option: 1), Fine Frosted PC diffuser,  Installation: Suspended or Surface Mounting  Rigid LED Module or 5630 led strip</p>
JV GALP059			<p>Aluminum LED profile with flange, <b>Indirect light.</b>  Option: 1), PC opal matte diffuser, 2), PC semi-clear diffuser, 3), PC clear diffuser,  Installation: Recessed mounting  Rigid LED Module or 5630 flexible led strip or 5050 led strip will be applied</p>
JV GALP062			<p>Aluminum LED profile as wall light. indirect light upwards  Option: 1), PMMA opal matte diffuser, 2), PMMA semi-clear diffuser, 3), PMMA clear diffuser 4), PC diffused cover  Installation: Surface Mounted by aluminum profile, not clips  LED Strip: 2835 led strip or 5050 led strip</p>
JV GALP063			<p>Aluminum LED profile without flange, with dropped lens 22mm long, as pendant light.  Option: 1), normal PC diffused cover, 2), Fine frosted PC cover (the price will be different)  Installation: Suspended or Surface Mounted  Rigid LED Module or 5630 led strip or 5050 multi row led strip can be applied</p>
JV GALP064			<p>Aluminum LED profile without flange, with dropped lens 22mm long, as pendant light.  Option: 1), PC opal matte diffuser,  Installation: Suspended or Surface Mounted  Rigid LED Module or 5630 led strip or 5050 multi row led strip can be applied</p>
JV GALP065			<p>Aluminum LED profile 45x42MM, square  Option: 1), PMMA opal matte diffuser, 2), PMMA semi clear diffuser 3), PC diffused cover  Installation: Surface Mounting  Rigid LED Module or 5630 led strip or 5050 multi row led strip can be applied</p>

JV GALP065-T			<p>Aluminum LED profile 45x55MM, square  Option: 1), PC diffused cover  Installation: Surface Mounting Rigid LED Module or 5630 led strip or 5050 multi row led strip can be applied</p>
JV GALP066			<p>Aluminum LED profile 45x42MM, semicircle  Option: 1), PMMA opal matte diffuser,  2), PMMA semi clear diffuser  3), PC diffused cover  Installation: Surface Mounting Rigid LED Module or 5630 led strip or 5050 multi row led strip can be applied</p>
JV GALP067			<p>Aluminum LED profile without flange  Option: 1), Fine Frosted PC diffuser,  Installation: Suspended or Surface Mounting Rigid LED Module or 5630 led strip or 5050 multi row led strip can be applied</p>
JV GALP068			<p>Aluminum LED profile with long flange, recessed in the dry wall  Option: 1), normal PC diffused cover,  Installation: recessed mounting single row led strip can be applied, 3528 or 2835 LED</p>
JV GALP069			<p>Aluminum LED profile with long flange, recessed in the dry wall, <b>for inside wall corner only</b>  Option: 1), normal PC diffused cover,  Installation: recessed mounting single row led strip can be applied, 3528 or 2835 LED</p>
JV GALP070			<p>Aluminum LED profile with long flange, recessed in the dry wall, <b>for outside wall corner only</b>  Option: 1), normal PC diffused cover,  Installation: recessed mounting single row led strip can be applied, 3528 or 2835 LED</p>